

PANDATAPE

Leading brand in the tape industry
胶带行业领军品牌



Product Catalogue

EVENT EXHIBITION

WELCOME TO OUR COMPANY





OUR EXHIBITION

Quality and safety, reliable purchase Buy at ease

Company Event



ACTIVITY EXHIBITION



Our Exhibition

After server years of development, the company has become more and more mature. At present, we hold large-scale exhibitions all over the country every year to show our products to the people in need.the company has become more and more mature.

→



ODM/OEM

AVAILABLE











Customers Worldwide

Products are shipped to over 90 countries and regions around the world for OEM and ODM customers as well as own brand.



CERTIFICATE DISPLAY

Big scale workshops & advanced equipments




ABOUT US

关于我们



上海盼拿达科技有限公司是一家专业生产和销售各类胶带的公司，致力于为客户提供高品质的胶粘解决方案。工厂坐落于中国制造核心区域，拥有面积逾20,000 平米的无尘车间与5 条全自动生产线，年产能可达5,000 万米；通过 ISO9001 质量管理与ISO14001 环境管理体系认证，产品涵盖布基胶带、铝箔胶带、双面胶带、防滑胶带等系列，成功出口至欧美、东南亚、中东等30+国家和地区；同时配备专业研发团队与实验室持续开展 SWOT 分析以优化产品与服务；为客户提供24 小时在线技术支持与定制化解决方案，全方位满足各行业多样化需求。

Shanghai Panda Adhesive Technology Co., Ltd. is a company specializing in the production and sale of various types of tapes, committed to providing customers with high-quality adhesive solutions. The factory is located in the core area of China's manufacturing, with a dust-free workshop of more than 20,000 square meters and 5 fully automatic production lines, with an annual production capacity of 50 million meters; through ISO9001 quality management and ISO14001 environmental management system certification, the products cover cloth-based tape, aluminum foil tape, double-sided tape, anti-slip tape and other series, successfully exported to Europe, America, Southeast Asia, the Middle East and other 30+ countries and regions; at the same time, equipped with a professional R&D team and laboratory, continuously carry out SWOT analysis to optimize products and services; provide customers with 24-hour online technical support and customized solutions to fully meet the diverse needs of various industries.





Catalogue index

目录索引

PVC TAPE

01



Cloth
Duct Tape

09



Anti
Slip Tape

16



Double
Sided Tape

20



Aluminum
Foil Tape

28



OPP Packing
Tape

32



Masking
Paper Tape

35



Kraft Paper
Tape

39



Warning
Tape

42



Masking
Film

44



Wire
Harness Tape

49



Filament
Tape

52



Bag Sealing
Tape

55




Greenhouse
Tape

58



Security
Tape

59



Special
Industrial
Tape

60



Stretch
Film

72



Reflective
Sheeting

73



PVC Tape

PVC 胶带

Product category 产品分类

PVC Electrical Insulation Tape 电工绝缘胶带



PVC electrical insulation tape is based on polyvinyl chloride (PVC) film and combined with pressure-sensitive adhesive. It has excellent electrical insulation, flame retardancy and environmental tolerance. It is available in multiple colors and is suitable for wire bundling, phase identification and outdoor applications below 600V.

PVC电工绝缘胶带以聚氯乙烯(PVC)薄膜为基材,配合压敏胶,兼具优异的电气绝缘性、阻燃性和环境耐受性,多色可选,适用于600V以下的电线捆扎、相位标识和户外应用。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	PVC (聚氯乙烯薄膜)
Thickness (厚度)	0.13-0.19mm/Customizable (可定制)
Adhesive (胶水)	Rubber (橡胶)
Colors (颜色)	Available in multiple colors (多色可选)

PVC Tape

PVC 胶带

Product category 产品分类

PVC Duct Tape PVC管道胶带



PVC pipe tape is based on polyvinyl chloride (PVC) and is combined with natural rubber or acrylic pressure-sensitive adhesive. It has the characteristics of waterproof sealing, heat and corrosion resistance, weather and UV resistance, high mechanical strength and flexibility, easy construction and peeling, and flame retardant and self-extinguishing properties. It is suitable for a variety of scenarios such as pipeline anti-corrosion, sealing, repair and insulation.

PVC 管道胶带以聚氯乙烯 (PVC) 为基材, 配合天然橡胶或丙烯酸压敏胶, 具备防水密封、耐高温耐腐、耐候抗紫外、高机械强度与柔韧性、易施工剥离及阻燃自熄性能, 适用于管道防腐、密封、修复与保温等多种场景。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	PVC (聚氯乙烯)
Thickness (厚度)	0.13-0.2mm/Customizable(可定制)
Adhesive (胶水)	Rubber (橡胶)
Colors (颜色)	Available in multiple colors (多色可选)

PVC Tape

PVC 胶带

Product category 产品分类

PVC Warning Tape PVC 警示胶带



PVC warning tape is based on polyvinyl chloride and coated with pressure-sensitive adhesive. It has the advantages of being waterproof, moisture-proof, weather-resistant, corrosion-resistant, and anti-static. It is suitable for various surfaces such as floors, walls, pipes, and equipment. It is used to divide dangerous areas, channel indications, and equipment warnings. It is widely used in warning area division in industry, construction, transportation, and public places.

PVC 警示胶带以聚氯乙烯为基材，涂覆压敏胶，具有防水、防潮、耐候、抗蚀、防静电等优点，适用于地面、墙壁、管道和设备等多种表面。用于划分危险区域、通道指示和设备警示，广泛应用于工业、建筑、交通和公共场所的警示区域划分。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	PVC (软质聚氯乙烯)
Thickness (厚度)	0.13/0.15mm/Customizable (可定制)
Adhesive (胶水)	Rubber (橡胶)
Colors (颜色)	Available in multiple colors (多色可选)

PVC Tape

PVC 胶带

Product category 产品分类

PVC Air Conditioning Tape PVC空调捆扎带



PVC air conditioner tape is made of polyvinyl chloride, does not contain adhesive, and is mainly fixed by winding. It has good UV resistance, moisture and heat resistance, is suitable for indoor and outdoor use, and maintains stable performance for a long time; it has certain flame retardant properties and is widely used in the installation process of air conditioners to bundle copper pipes and cable harnesses, playing a role of fixing, beautifying and protecting.

PVC空调捆扎带采用聚氯乙烯材质, 不含粘胶, 主要通过缠绕方式实现固定。具备良好的耐紫外线、耐湿热性能, 适合室内外使用, 长期保持性能稳定; 具备一定的阻燃特性, 广泛应用于空调安装过程中, 用于捆扎铜管和电缆线束, 起到固定、美观和保护的作用。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	PVC (聚氯乙烯)
Thickness (厚度)	0.09-0.15mm/Customizable (可定制)
Adhesive (胶水)	No glue (无胶)
Colors (颜色)	Available in multiple colors (多色可选)

PVC Tape

PVC 胶带

Product category 产品分类

PVC Easy Tear Tape PVC易撕胶带



PVC easy-tear tape is a tape with polyvinyl chloride as the base material and coated with rubber-type pressure-sensitive adhesive. It can be easily torn by hand without scissors or tools, and has the characteristics of wear resistance, weather resistance, and moisture resistance. It is widely used in packaging and sealing, temporary fixation, home repair, and other scenarios. It is particularly suitable for application environments that require fast operation and frequent replacement.

PVC易撕胶带是一种以聚氯乙烯为基材、涂覆橡胶型压敏胶的胶带，可轻松手撕，无需剪刀或工具，并且具有耐磨、耐候、耐湿等特性，广泛应用于包装封箱、临时固定、家居维修、等场景，特别适合需要快速操作和频繁更换的应用环境。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	PVC (聚氯乙烯)
Thickness (厚度)	0.13-0.17mm/Customizable (可定制)
Adhesive (胶水)	Rubber (橡胶)
Colors (颜色)	Brown/Multiple options (多色可选)

PVC Tape

PVC 胶带

Product category 产品分类


PVC Hockey Tape PVC冰球胶带



PVC hockey tape is a high-performance tape designed specifically for ice hockey. It uses polyvinyl chloride as the base material and has the characteristics of high adhesion, good elasticity and ductility, wear resistance and weather resistance. It can be firmly fixed on equipment such as clubs and shin guards. The PVC material gives the tape excellent wear resistance and weather resistance. It is suitable for various indoor and outdoor environments and is not easy to age after long-term use.

PVC冰球胶带是一种专为冰球运动设计的高性能胶带，采用聚氯乙烯为基材，具有高黏着力、良好弹性与延展性、耐磨耐候等特点。能牢固地固定在球杆、护腿板等装备上，PVC材质赋予胶带优异的耐磨性和耐候性，适用于室内外各种环境，长期使用不易老化。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	PVC (聚氯乙烯)
Thickness (厚度)	0.14mm/Customizable (可定制)
Adhesive (胶水)	Rubber (橡胶)
Colors (颜色)	Transparent (透明)

PVC Tape

PVC 胶带

Product category 产品分类

PVC Food Sealing Tape PVC食品封罐胶带



PVC food sealing tape uses transparent or translucent PVC film as the base material and is coated with food-grade pressure-sensitive adhesive. It has super strong adhesion and airtightness, can effectively block air and water vapor, and prevent food from oxidation and leakage. It leaves no residual adhesive after tearing off and is suitable for sealing various containers such as metal cans, glass bottles, and food boxes.

PVC食品封罐胶带采用透明或半透明的PVC薄膜为基材，涂覆食品级压敏胶，具备超强粘附力与气密封性能，可有效阻隔空气和水汽，防止食品氧化、渗漏；撕除后不留残胶，适用于金属罐、玻璃瓶、食品盒等多种容器的密封封口。

Product display
产品展示



Specification Parameter
规格参数

Backing Material	(基材)	PVC (聚氯乙烯)
Thickness	(厚度)	0.11/0.12mm/Customizable (可定制)
Adhesive	(胶水)	Rubber (橡胶)
Colors	(颜色)	Transparent/Semi-transparent (透明/半透明)

PVC Tape

PVC 胶带

Product category 产品分类


Magnetic Strip Shielding Tape 磁条屏蔽胶带



Magnetic Strip Shielding Tape is designed for AGV guidance and magnetic protection applications. Made of durable PVC material, it offers reliable shielding performance and strong surface protection. Ideal for warehouses, factories, and automated logistics systems.

磁条屏蔽胶带专用于AGV导航及磁条保护应用,采用耐用PVC材质,具备良好的屏蔽性能和表面保护效果。适用于仓储、工厂及自动化物流系统。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	PVC (聚氯乙烯)
Thickness (厚度)	1.44 mmmm/Customizable (可定制)
Adhesive (胶水)	Rubber (橡胶)
Colors (颜色)	Gray/Customizable (定制)

Cloth Duct Tape 布基胶带

Product category 产品分类

Cloth Duct Tape 布基胶带



Cloth duct tape uses a composite of polyethylene (PE) film and fiber cloth as the base material, and the inner layer is coated with rubber or hot-melt adhesive. It has excellent adhesion, easy tearing, water resistance and wear resistance. It is widely used in construction, automobiles, home appliances, exhibition layout, packaging and other fields. It is suitable for temporary repairs, carpet fixing, pipe sealing and other scenarios.

布基胶带采用聚乙烯(PE)膜与纤维布复合为基材,内层涂覆橡胶型或热熔型胶粘剂,具备优异的粘附力、易撕性、耐水性和耐磨性,广泛应用于建筑、汽车、家电、展会布置、包装等领域,适用于临时维修、地毯固定、管道密封等多种场景。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	PE (聚乙烯)
Thickness (厚度)	0.12/0.29mm/Customizable (可定制)
Adhesive (胶水)	Hot melt (热熔胶)
Colors (颜色)	Available in multiple colors (多色可选)

Cloth Duct Tape 布基胶带

Product category 产品分类

Matt Gaffer Tape 哑光布基胶带



Matte gaffer tape is a high-performance tape designed for professional scenes such as film, television, stage and exhibition. It can effectively absorb light, has excellent adhesion, can be firmly attached to various surfaces, and will not leave residual adhesive after tearing, protecting equipment and ground from damage. It can also be torn by hand, which is convenient for quick application and widely used in scenes such as cable fixing, stage marking, temporary equipment fixing, etc.

哑光布基胶带是一种专为影视、舞台和展览等专业场景设计的高性能胶带。可有效吸收光线，该胶带具有优异的粘附力，能牢固粘贴于各种表面，且撕除后不留残胶，保护设备和地面不受损害。且支持手撕，便于快速应用，广泛用于电缆固定、舞台标记、设备临时固定等场景。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	PE Cotton Cloth(聚乙烯涂层棉布)
Thickness (厚度)	0.21/0.25mm/Customizable(可定制)
Adhesive (胶水)	Hot melt(热熔胶)
Colors (颜色)	Available in multiple colors (多色可选)

Cloth Duct Tape 布基胶带

Product category 产品分类

Tunnel Cable Tape 隧道电缆胶带



Tunnel Cable Management Tape features a non-adhesive center channel that allows cables to pass through safely while the adhesive sides secure the tape firmly to the floor. It helps prevent tripping hazards and keeps cables organized. Ideal for events, offices, studios, and temporary installations.

隧道型理线胶带采用中间无胶设计，方便电缆从中间通道穿过，两侧带胶可牢固贴合地面，有效防止绊倒并保持线路整齐。适用于展会、办公室、摄影棚及临时布线场所。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	PE Cotton Cloth(聚乙烯涂层棉布)
Thickness (厚度)	0.21/0.25mm/Customizable(可定制)
Adhesive (胶水)	Hot melt (热熔胶)
Colors (颜色)	Black (黑色)

Cloth Duct Tape 布基胶带

Product category 产品分类

Double Sided Cloth Carpet Tape 双面地毯胶带



Double-sided carpet cloth tape is a tape specially designed for carpet laying. It uses easy-to-tear gauze fiber as the base material and is coated with high-viscosity hot-melt adhesive. Its main features include: strong adhesion, high peeling force, soft and easy to tear, wear-resistant and water-resistant, and no residual glue is left after tearing. It is environmentally friendly and odorless. It is widely used in exhibition layout, carpet seams, wall decoration and other scenes.

双面地毯布基胶带是一种专为地毯铺设的胶带，采用易撕纱布纤维为基材，涂覆高粘度热熔胶，其主要特点包括：粘接力强、剥离力高、柔软易撕、耐磨耐水，且撕除后不留残胶，环保无异味，广泛应用于会展布置、地毯接缝、墙面装饰等场景。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	Polyester Fabric(棉纱布 / 聚酯布)
Thickness (厚度)	0.20/0.25/0.28mm/Customizable (可定制)
Adhesive (胶水)	Hot melt(热熔胶)
Colors (颜色)	White/Yellow (白色、黄色)

Cloth Duct Tape 布基胶带

Product category 产品分类

Camouflage Tape 迷彩布基胶带



Camouflage cloth-based tape is a high-strength tape designed for outdoor, tactical and camouflage applications. It is made of polyethylene-coated cloth-based material and coated with rubber-type pressure-sensitive adhesive. It has excellent adhesion, easy tearing, high strength and durability, water resistance and wear resistance. It is suitable for various indoor and outdoor environments and a variety of industrial daily applications.

迷彩布基胶带是一种专为户外、战术和伪装应用设计的高强度胶带，采用聚乙烯涂层布基材质，涂覆橡胶型压敏胶，具备优异的粘附力、易撕性，高强度与耐用性、耐水性和耐磨性，适用于室内外各种环境和多种工业日常应用。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	Cotton Cloth (聚乙烯涂层棉布)
Thickness (厚度)	0.3mm/Customizable (可定制)
Adhesive (胶水)	Hot melt (热熔胶)
Colors (颜色)	Multi-color camouflage pattern (多色迷彩图案)

Cloth Duct Tape 布基胶带

Product category 产品分类

Fluorescent cloth tape 荧光布基胶带



Fluorescent cloth-based tape is a high-visibility, matte-surface tape coated with a rubber-type pressure-sensitive adhesive and a polyethylene-coated cloth-based material. It has a smooth surface and excellent adhesion, tearability, water resistance, and abrasion resistance. It is suitable for a variety of industrial and daily applications in construction, automobiles, home appliances, exhibition layout, packaging, stage marking, and line identification.

荧光布基胶带是一种高可视性、哑光表面的胶带，涂覆橡胶型压敏胶，采用聚乙烯涂层布基材质，表面光滑具备优异的粘附力、易撕性、耐水性和耐磨性，适用于建筑、汽车、家电、展会布置、包装、舞台标记、线路识别多种工业和日常应用。

 Product display
产品展示



 Specification Parameter
规格参数

Backing Material (基材)	Cotton Cloth (聚乙烯涂层棉布)
Thickness (厚度)	0.3mm/Customizable (可定制)
Adhesive (胶水)	Rubber (橡胶)
Colors (颜色)	Fluorescent Green/Multiple options(多色可选)

Cloth Duct Tape 布基胶带

Product category 产品分类

Stucco Duct Tape 养生布基胶带



Health cloth-based tape is a high-performance tape designed for scenes such as construction, decoration and transportation. It is made of polyethylene cloth with good adhesion, easy tearing, high strength and durability, water resistance and abrasion resistance. It is suitable for plaster, gypsum and concrete applications in construction, especially for protecting window frames, door frames and other surfaces from plaster splashing.

养生布基胶带是一种专为建筑、装潢和搬运等场景设计的高性能胶带，采用聚乙烯布基材质，具有良好的粘附力、易撕性、高强度与耐用性、耐水性和耐磨性，适用于建筑施工中的灰泥、石膏和混凝土应用，特别是在保护窗框、门框和其他表面免受灰泥溅落时使用。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	PE Duct (聚乙烯涂层棉布)
Thickness (厚度)	0.15mm/Customizable (可定制)
Adhesive (胶水)	Water acrylic(水胶)
Colors (颜色)	White/Olive Drab/Multiple options(多色可选)

Anti Slip Tape

防滑胶带

Product category 产品分类

General Anti Slip Tape 一般防滑胶带



Anti-slip tape is a self-adhesive tape with rough particles on the surface to enhance ground friction. Its base material is mostly PVC or PET, and the surface is covered with wear-resistant sand particles such as aluminum oxide or silicon carbide, which is suitable for indoor and outdoor environments. In addition, anti-slip tape is resistant to water, oil, and weather, and is easy to install and cut. It is widely used in homes, factories, shopping malls, hospitals and other places to improve walking safety.

防滑胶带是一种表面具有粗糙颗粒的自粘胶带，以增强地面摩擦力。其基材多为PVC或PET，表面覆盖氧化铝或碳化硅等耐磨砂粒，适用于室内外环境。此外，防滑胶带具有耐水、耐油、耐候性强、易于安装和裁剪的特点，广泛应用于家庭、工厂、商场、医院等场所，提升行走安全性。

Product display 产品展示



Specification Parameter 规格参数

Backing Material	(基材)	PVC/PET
Thickness	(厚度)	0.8/0.9mm/Customizable(可定制)
Adhesive	(胶水)	Solvent Acrylic(丙烯酸油胶)
Colors	(颜色)	Black/Yellow/Multiple options (多色可选)

Anti Slip Tape

防滑胶带

Product category 产品分类

Anti Slip Glow in The Dark Tape 夜光防滑胶带



Luminous anti-skid tape combines anti-skid and nighttime visibility functions, and is suitable for stairs, walkways and other places. Its surface is covered with high-strength particles, and the base material is mostly PET or PVC, which has good wear resistance and waterproofness. The tape is embedded with a luminous film, which absorbs light energy during the day and automatically emits light at night, which can last for 4 to 10 hours, improving visibility and safety in dark environments.

夜光防滑胶带结合防滑与夜间可视功能,适用于楼梯、走道等场所。其表面覆盖高强度颗粒,提供优异的防滑性能,基材多为PET或PVC,具有良好的耐磨性和防水性。胶带中嵌有夜光膜,白天吸收光能,夜间自动发光,持续时间可达4至10小时,提高黑暗环境下的可见性和安全性。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	PVC/PET
Thickness (厚度)	0.8/0.9mm/Customizable(可定制)
Adhesive (胶水)	Solvent Acrylic(丙烯酸油胶)
Colors (颜色)	Fluorescent Green/Multiple options(多色可选)

Anti Slip Tape

防滑胶带

Product category 产品分类

Anti Slip Reflective Tape 防滑反光胶带



Anti-slip reflective tape has both anti-slip and reflective functions. The surface is covered with wear-resistant particles to increase friction and effectively prevent slipping. Reflective material is embedded in the tape, which significantly improves visibility under light and enhances safety at night or in low-light environments. It is suitable for slippery areas such as stairs, passages, factories, etc. It has strong adhesion, good weather resistance and easy construction.

防滑反光胶带兼具防滑与反光功能，表面覆盖耐磨颗粒，提升摩擦力，有效防止滑倒；胶带中嵌有反光材料，在光线照射下显著提高可视性，增强夜间或低光环境下的安全性；适用于楼梯、通道、工厂等易滑区域，粘性强，耐候性好，施工简便。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	PET
Thickness (厚度)	0.8/0.9mm/Customizable(可定制)
Adhesive (胶水)	Solvent Acrylic(丙烯酸油胶)
Colors (颜色)	Black/Yellow/Multiple options (多色可选)

Anti Slip Tape

防滑胶带

Product category 产品分类

PEVA Anti Slip Tape 浴室防滑胶带



PEVA bathroom anti-slip tape is made of environmentally friendly and non-toxic PEVA material. It is soft and skin-friendly, suitable for barefoot contact, and is widely used in wet areas such as bathrooms, bathtubs, and showers. Its surface is a fine matte texture, with excellent anti-slip effect, and it is waterproof and wear-resistant, PVC-free, safe and environmentally friendly. The back of the tape is self-adhesive, easy to install, not easy to leave residual glue, and fits firmly.

PEVA浴室防滑胶带采用环保无毒的PEVA材质制成，柔软亲肤，适合赤脚接触，广泛用于浴室、浴缸、淋浴间等潮湿区域。其表面为细腻磨砂纹理，防滑效果出色，且防水耐磨、不含PVC，安全环保。胶带背面为自粘胶，安装简便，不易残胶，贴合牢固。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	PEVA(聚乙烯醋酸乙烯酯)
Thickness (厚度)	0.8/0.9mm/Customizable(可定制)
Adhesive (胶水)	Solvent Acrylic(丙烯酸油胶)
Colors (颜色)	Clear / White / Gray (透明 / 白色 / 灰色)

Double Sided Tape 双面胶带

Product category 产品分类

Double Sided Tissue Tape 双面绵纸胶带



Double-sided tissue paper tape is based on soft tissue paper and coated with high-viscosity pressure-sensitive adhesive on both sides. It has good adhesion and initial adhesion and is suitable for pasting on irregular surfaces. Its characteristics include: strong adhesion, easy to tear and cut, not easy to warp, can be torn by hand, and convenient construction. It is widely used in electronics, printing, hand-made and home decoration.

双面绵纸胶带以柔软的绵纸为基材，双面涂布高粘性压敏胶，具有良好的贴合性和初粘力，适用于不规则表面的粘贴。其特点包括：粘性强、易撕易裁、不易翘边、可手撕、施工方便，广泛用于电子、印刷、手工制作和家居装饰等领域。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	Tissue Paper (绵纸)
Thickness (厚度)	0.06-0.12mm/Customizable (可定制)
Adhesive (胶水)	Solvent acrylic / Hot melt / Rubber (可定制)
Colors (颜色)	White / Yellow / Brown Glassine (白 / 黄 / 棕色)

Double Sided Tape 双面胶带

Product category 产品分类

Double Sided Acrylic Foam Tape 双面亚克力泡棉胶带



Double-sided acrylic foam tape uses high-density acrylic foam as the base material and is coated with strong pressure-sensitive adhesive on both sides. It has excellent bonding strength, impact resistance and weather resistance. It can absorb vibrations, fill gaps, and is suitable for rough or uneven surfaces. It is resistant to high temperatures, waterproof, and UV rays. It is widely used in automotive parts, electronics, hardware, and architectural decoration.

双面亚克力泡棉胶带采用高密度亚克力泡棉为基材，双面涂布强力压敏胶，具有优异的粘接强度、抗冲击性和耐候性。它可吸收震动、填补间隙，适用于粗糙或不平整表面，耐高温、防水、防紫外线，广泛用于汽车配件、电子、五金和建筑装饰等领域。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	Acrylic Foam (亚克力泡棉)
Thickness (厚度)	0.5/1/2/3mm/Customizable(可定制)
Adhesive (胶水)	Acrylic (丙烯酸结构胶)
Colors (颜色)	Gray / Black / White (灰 / 黑 / 白)

Double Sided Tape 双面胶带

Product category 产品分类

Double Sided EVA Foam Tape 双面EVA泡棉胶带



Double-sided EVA foam tape uses EVA foam as the base material and is coated with strong pressure-sensitive adhesive on both sides. It has good cushioning and shock resistance. Its characteristics include: good adhesion, softness, water resistance and high and low temperature resistance. It can effectively fill uneven surfaces and absorb impact. It is suitable for automobiles, electronic products, home appliances, sign fixing and decoration.

双面EVA泡棉胶带以EVA泡棉为基材，双面涂布强力压敏胶，具有较好的缓冲性和抗震性。其特点包括：良好的粘附力、柔软性、耐水性和耐高低温性能，能够有效填补不平整表面，吸收冲击，适用于汽车、电子产品、家电、标牌固定及装饰等领域。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	EVA Foam (EVA泡棉)
Thickness (厚度)	1/1.5/2mm/Customizable(可定制)
Adhesive (胶水)	Acrylic (丙烯酸结构胶)
Colors (颜色)	Gray / Black / White (灰 / 黑 / 白)

Double Sided Tape 双面胶带

Product category 产品分类

Double Sided PE Foam Tape 双面PE泡棉胶带



Double-sided PE foam tape uses polyethylene (PE) foam as the base material and is coated with high-viscosity pressure-sensitive adhesive on both sides. It has excellent adhesion, cushioning and weather resistance. Its characteristics include: good flexibility, water resistance and shock resistance. It is suitable for pasting on rough or uneven surfaces and is widely used in the fixing and cushioning of home appliances, automobiles, architectural decoration and electronic products.

双面PE泡棉胶带采用聚乙烯 (PE) 泡棉为基材, 双面涂布高粘性压敏胶, 具有优良的粘接力、缓冲性和耐候性。其特点包括: 良好的柔韧性、耐水性和抗震性能, 适用于粗糙或不平整表面的粘贴, 广泛应用于家电、汽车、建筑装饰和电子产品的固定与缓冲。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	PE Foam (PE泡棉)
Thickness (厚度)	1/1.5/2/2.5/3mm/Customizable(可定制)
Adhesive (胶水)	Acrylic (丙烯酸结构胶)
Colors (颜色)	Gray / Black / White (灰 / 黑 / 白)

Double Sided Tape 双面胶带

Product category 产品分类


Double Sided Nano Tape 双面纳米胶带



The double-sided nano tape is made of highly transparent nano gel material, with strong adhesion, can be repeatedly washed and used multiple times. It can be removed without leaving any traces, and is suitable for smooth surfaces such as glass, tiles, metal, etc. The tape is flexible and resistant to high and low temperatures, and is widely used for home storage, office organization and temporary fixation.

双面纳米胶带采用高透明纳米凝胶材质制成,具备强力粘性、可反复水洗并多次使用的特点。它无痕可移除、不留残胶,适用于光滑表面如玻璃、瓷砖、金属等。胶带柔韧性好、耐高低温,广泛用于家居收纳、办公整理及临时固定。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	Nano PU Gel (纳米凝胶)
Thickness (厚度)	1.0/2.0/3.0mm/Customizable(可定制)
Adhesive (胶水)	Acrylic (丙烯酸结构胶)
Colors (颜色)	Transparent (透明)

Double Sided Tape 双面胶带

Product category 产品分类

Double Sided PVC Tape 双面PVC胶带



Double-sided PVC tape is based on polyvinyl chloride (PVC) film and coated with strong pressure-sensitive adhesive on both sides. It has excellent wear resistance, moisture resistance and adhesion. Its characteristics include: high tensile strength, good flexibility, corrosion resistance, suitable for various smooth or slightly uneven surfaces, and widely used in electronics, plastics, metal plate bonding and industrial assembly.

双面PVC胶带以聚氯乙烯 (PVC) 薄膜为基材, 双面涂布强力压敏胶, 具有优良的耐磨性、耐湿性和粘接力。其特点包括: 抗拉强度高、柔韧性好、耐腐蚀、适用于各种平滑或轻微不平整表面, 广泛用于电子、塑胶、金属板粘接及工业装配等领域。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	Soft PVC Film (软质PVC膜)
Thickness (厚度)	0.09/0.15mm/Customizable(可定制)
Adhesive (胶水)	Solvent Acrylic (溶剂型丙烯酸胶)
Colors (颜色)	Clear/White/Beige (透明/白色/米黄)

Double Sided Tape 双面胶带

Product category 产品分类

Double Sided OPP Tape 双面OPP胶带



Double-sided OPP tape is based on polypropylene (OPP) film and coated with pressure-sensitive adhesive on both sides. It has the characteristics of strong adhesion, stretch resistance, high transparency, low cost and durability. The tape is thin overall and suitable for light items such as paper, packaging, crafts, etc. It is often used in stationery, handicrafts and daily office scenes.

双面OPP胶带以聚丙烯 (OPP) 薄膜为基材, 双面涂布压敏胶, 具有粘性强、耐拉伸、透明度高和成本低耐用等特点。胶带整体较薄, 适用于轻质物品的粘贴, 如纸张、包装、工艺品等, 常用于文具、手工制作和日常办公场景。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	OPP Film (OPP薄膜)
Thickness (厚度)	0.08/0.13mm/Customizable (可定制)
Adhesive (胶水)	Solvent Acrylic (溶剂型丙烯酸胶)
Colors (颜色)	Clear/White/Beige (透明/白色/米黄)

Double Sided Tape 双面胶带

Product category 产品分类

Double Sided PET Tape 双面PET胶带



Double-sided PET tape is based on polyester film (PET) and coated with high-performance pressure-sensitive adhesive on both sides. It has excellent high temperature resistance, solvent resistance and stable adhesion. The tape is thin and strong, resistant to stretching and has good dimensional stability. It is suitable for bonding electronic components, screen components, metal and plastic parts, and is widely used in electronic manufacturing and precision industry.

双面PET胶带以聚酯薄膜(PET)为基材,双面涂布高性能压敏胶,具有优异的耐高温性、耐溶剂性和稳定的粘接力。胶带薄而强韧,抗拉伸、尺寸稳定性好,适用于电子元件、屏幕组件、金属与塑料件的粘接,广泛用于电子制造和精密工业领域。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	PET Film (PET薄膜)
Thickness (厚度)	0.09/0.1mm/Customizable(可定制)
Adhesive (胶水)	Solvent Acrylic(溶剂型丙烯酸胶)
Colors (颜色)	Clear/White/Beige (透明/白色/米黄)

Aluminum Foil Tape 铝箔胶带

Product category 产品分类

General Aluminum Foil Tape 普通铝箔胶带



Generally, aluminum foil tape is made of aluminum foil as the base material, which has excellent high temperature resistance, corrosion resistance and thermal conductivity. It is often used in applications such as sealing, heat preservation, moisture resistance, and electromagnetic interference shielding of air ducts, especially in HVAC (heating, ventilation and air conditioning) systems and electronic equipment. Aluminum foil tape also has good flexibility and can fit tightly to irregular surfaces.

一般铝箔胶带由铝箔为基材，涂覆压敏胶，具有优良的耐高温、抗腐蚀和导热性能。它常用于空气管道的密封、保温、防潮、屏蔽电磁干扰等应用，尤其在HVAC（暖通空调）系统和电子设备中广泛使用。铝箔胶带还具备良好的柔韧性，能够紧密贴合不规则表面。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	Aluminum Foil (铝箔)
Thickness (厚度)	0.045-0.175mm/Customizable(可定制)
Adhesive (胶水)	Solvent/Acrylic/Hot melt(油胶/水胶/热熔胶)
Colors (颜色)	Silver (银色)

Aluminum Foil Tape 铝箔胶带

Product category 产品分类


5*5 Reinforced Aluminum Foil Tape 5*5夹筋铝箔胶带



5*5 reinforced aluminum foil tape uses aluminum foil as the base material, and enhances its tensile strength through a 5mm spacing rib structure. It has good high temperature resistance, corrosion resistance and thermal conductivity. Features include: high strength, tear resistance, good sealing and moisture resistance, and is widely used in construction, air conditioning systems, electronic equipment and other fields that require protection and insulation.

5*5夹筋铝箔胶带以铝箔为基材,并通过5毫米间距的夹筋结构增强其抗拉强度,具有良好的耐高温、耐腐蚀和导热性能。特点包括:高强度、抗撕裂、良好的密封性和防潮性,广泛应用于建筑、空调系统、电子设备等需要防护和保温的领域。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	5*5 Mesh Aluminum Foil (5*5夹筋铝箔)
Thickness (厚度)	0.085mm/Customizable(可定制)
Adhesive (胶水)	Solvent/Acrylic/Hot melt(油胶/水胶/热熔胶)
Colors (颜色)	Silver (银色)

Aluminum Foil Tape 铝箔胶带

Product category 产品分类

Aluglass Cloth Aluminum Foil Tape 玻纤布铝箔胶带



Aluglass cloth aluminum foil tape is made of glass cloth and aluminum foil, with excellent strength and temperature resistance. Its characteristics include: high tensile strength, high temperature resistance, corrosion resistance, good thermal conductivity, good heat insulation and moisture resistance. The tape is suitable for HVAC systems, pipe insulation, electrical shielding and other fields requiring high strength and high temperature resistance.

玻纤布铝箔胶带由玻纤布和铝箔复合而成,具有优异的强度和耐温性能。其特点包括:高强度抗拉、耐高温、耐腐蚀、导热性好,具有良好的隔热和防潮性能。胶带适用于HVAC系统、管道保温、电气屏蔽和其他要求高强度和耐高温的领域。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	Fiberglass Cloth + Aluminum Foil (玻纤布)
Thickness (厚度)	0.15mm/Customizable (可定制)
Adhesive (胶水)	Solvent/Acrylic/Hot melt (油胶/水胶/热熔胶)
Colors (颜色)	Silver (银色)

Aluminum Foil Tape 铝箔胶带

Product category 产品分类


FSK Reinforced Aluminum Foil Tape FSK夹筋铝箔胶带



FSK aluminum foil adhesive with reinforcement has excellent strength and high temperature resistance. It has enhanced tensile strength, good corrosion resistance, moisture resistance and thermal conductivity, and is used for insulation and sealing of pipes and air conditioning systems. The reinforcement design improves the stability and adaptability of the tape, and is particularly suitable for use in environments that require high strength, high temperature resistance and UV resistance.

FSK夹筋铝箔胶具有优异的强度和耐高温性能。其特点包括：增强的抗拉强度，良好的耐腐蚀性、防潮性和导热性，能够有效反射热量，广泛用于管道、空调系统的保温和密封。此外，夹筋设计提高了胶带的稳定性和适应性，特别适合在需要高强度、耐高温和抗紫外线的环境中使用。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	Aluminum Foil + Scrim Paper (铝箔 + 夹筋纸)
Thickness (厚度)	0.17mm/Customizable(可定制)
Adhesive (胶水)	Solvent/Acrylic/Hot melt(油胶/水胶/热熔胶)
Colors (颜色)	Silver (银色)

OPP Packing Tape

OPP胶带

Product category 产品分类

General Packing Tape 普通封箱胶带



Ordinary OPP sealing tape is based on polypropylene film (OPP) and coated with water-based pressure-sensitive adhesive. It has the characteristics of high transparency, good adhesion, stretch resistance, and high cost performance. It is mainly used for carton sealing and packaging fixation. It is suitable for daily sealing needs such as warehousing, logistics, and e-commerce delivery. It is easy to use, low cost, and highly adaptable.

普通OPP封箱胶带以聚丙烯薄膜(OPP)为基材,涂布水性压敏胶,具有透明度高、粘性好、耐拉伸、性价比高特点。主要用于纸箱封口、包装固定,适用于仓储、物流、电商发货等日常封箱需求,使用方便,成本低,适应性强。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	BOPP (双向拉伸聚丙烯)
Thickness (厚度)	0.045/0.065mm/Customizable(可定制)
Adhesive (胶水)	Water-based Acrylic (水性丙烯酸胶)
Colors (颜色)	Clear/Beige/Brown/Custom Print (定制印刷)

OPP Packing Tape

OPP胶带

Product category 产品分类

OPP Super Clear Packing Tape OPP超透封箱胶带



OPP super transparent sealing tape is based on highly transparent polypropylene film and coated with high-quality pressure-sensitive adhesive. It has extremely high transparency, good adhesion and tensile resistance. After the tape is applied, it hardly affects the covered text or pattern, and has a beautiful appearance. It is widely used in high-end product packaging, document packaging and sealing applications that require clear display of content.

OPP超透封箱胶带以高透明聚丙烯薄膜为基材，涂布优质压敏胶，具有极高的透明度、良好的粘性和耐拉伸性。胶带贴合后几乎不影响被覆盖文字或图案，外观美观，广泛用于高端产品包装、文件封装和需要清晰展示内容的封箱应用。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	High Clarity BOPP (高透明BOPP)
Thickness (厚度)	0.045/0.065mm/Customizable(可定制)
Adhesive (胶水)	Water-based Acrylic (水性丙烯酸胶)
Colors (颜色)	Super Clear (超透明)

OPP Packing Tape

OPP胶带

Product category 产品分类

Vegetable Packing Tape 蔬菜包装胶带



Vegetable Packing Tape is specially designed for bundling and packaging fresh produce. It provides reliable adhesion, easy tearing, and secure holding without damaging vegetables. Suitable for supermarkets, farms, and food distribution centers.

蔬菜包装胶带专用于新鲜蔬菜的捆扎与包装，粘性稳定、易撕易用，固定牢固且不易损伤蔬菜。适用于超市、农场及食品配送中心。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	BOPP (双向拉伸聚丙烯)
Thickness (厚度)	0.045/0.065mm/Customizable(可定制)
Adhesive (胶水)	Water-based Acrylic (水性丙烯酸胶)
Colors (颜色)	Clear/Printed / Custom Colors (定制印刷)

Masking Tape

美纹纸胶带

Product category 产品分类

General Purpose Masking Tape 普通美纹纸胶带



Ordinary masking tape is made of crepe paper as the base material, coated with rubber or water-based pressure-sensitive adhesive, and has good initial adhesion, easy tearing and writability. Its characteristics include: firm adhesion, no glue left after tearing, suitable for curved surfaces, commonly used for spray painting masking, hand-made, temporary fixing and classification marking, etc., easy to use and cost-effective.

普通美纹纸胶带以皱纹纸为基材，涂布橡胶或水性压敏胶，具有良好的初粘力、易撕性和可书写性。其特点包括：粘贴牢固、撕下不留胶、适用于曲面，常用于喷漆遮蔽、手工制作、临时固定和分类标记等用途，使用方便、性价比高。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	Crepe Paper (皱纹纸)
Thickness (厚度)	0.12/0.15mm/Customizable (可定制)
Adhesive (胶水)	Rubber (橡胶胶)
Colors (颜色)	Multiple color options (多色可选)

Masking Tape

美纹纸胶带

Product category 产品分类


Anti-UV Masking Tape 抗UV美纹纸胶带



Anti-UV masking tape adopts UV-resistant formula, has good sun resistance and aging resistance, is not easy to change color and leave adhesive residue under long-term sunlight. Its characteristics include: moderate viscosity, easy to tear and stick, suitable for outdoor painting masking, building decoration and temporary fixing scenes exposed to sunlight, and can effectively prevent the tape from brittle and falling off.

抗UV美纹纸胶带采用耐紫外线配方,具备良好的耐晒性和耐老化性能,长时间日照下不易变色、不残胶。其特点包括:粘性适中、易撕易贴、适用于户外喷漆遮蔽、建筑装饰及暴露在阳光下的临时固定场景,能有效防止胶带脆化脱落。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	Crepe Paper (皱纹纸)
Thickness (厚度)	0.13/0.16mm/Customizable (可定制)
Adhesive (胶水)	Rubber (橡胶胶)
Colors (颜色)	Blue/Green (蓝色/绿色)

Masking Tape

美纹纸胶带

Product category 产品分类

Automotive Masking Paper Tape 汽车喷漆美纹纸胶带



Car paint masking tape is made of high-quality crepe paper and high-temperature resistant pressure-sensitive adhesive, with good high-temperature resistance, solvent resistance and masking performance. Features include: moderate viscosity, strong adhesion, no paint penetration, no residual adhesive after tearing off, suitable for masking operations with high requirements for edge clarity and paint surface protection during car painting.

汽车喷漆美纹纸胶带采用高品质皱纹纸和耐高温压敏胶制成,具有良好的耐高温、耐溶剂和遮蔽性能。特点包括:粘性适中、贴服性强、不渗漆、撕除无残胶,适用于汽车喷漆过程中对边缘清晰度和漆面保护要求高的遮蔽作业。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	Crepe Paper (皱纹纸)
Thickness (厚度)	0.14/0.16mm/Customizable (可定制)
Adhesive (胶水)	Rubber (橡胶胶)
Colors (颜色)	Yellow / Blue / Green (黄色/蓝色/绿色)

Masking Tape

美纹纸胶带

Product category 产品分类

Washi Paper Tape 和纸胶带



Washi paper tape is made of washi paper, which is thin, flexible, and has moderate stickiness. It can be pasted repeatedly without leaving any residual adhesive. Its features include: easy to paste, hand-tearable, writable surface, rich and beautiful patterns, and widely used in notebook decoration, gift packaging, hand-made, cultural and creative design and other fields.

和纸胶带由和纸制成,质地轻薄柔韧,粘性适中,可反复粘贴且撕下不留残胶。其特点包括:易撕易贴、可手撕、表面可书写,且图案丰富、美观,广泛用于手帐装饰、礼品包装、手工制作及文创设计等领域。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	Washi Paper (和纸)
Thickness (厚度)	0.095/0.105mm/Customizable(可定制)
Adhesive (胶水)	Acrylic (亚克力胶)
Colors (颜色)	Orange/Multiple color options (多色可选)

Kraft Paper Tape 牛皮纸胶带

Product category 产品分类

Self Adhesive Kraft Paper Tape 自粘牛皮纸胶带



Self-adhesive kraft paper tape is made of kraft paper as the backing material, with pressure-sensitive adhesive coated on the back. It can be directly pasted without adding water, and is easy to use. Its features include: strong adhesion, no residual adhesive residue after tearing, environmentally friendly and degradable, good tensile strength and temperature resistance, and is often used in carton sealing, parcel packaging and other scenes with high environmental protection requirements.

自粘牛皮纸胶带以牛皮纸为基材，背面涂布压敏胶，无需加水即可直接粘贴，使用方便。其特点包括：粘性强、撕除不易残胶、环保可降解，具有良好的抗拉性和耐温性，常用于纸箱封口、包裹包装及环保要求较高的场景。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	Kraft Paper (牛皮纸)
Thickness (厚度)	0.12/0.15mm/Customizable (可定制)
Adhesive (胶水)	Solvent Rubber (溶剂型橡胶)
Colors (颜色)	Brown/White/Black (棕色/白色/黑色)

Kraft Paper Tape 牛皮纸胶带

Product category 产品分类

Water Activated Kraft Paper Tape 湿水牛皮纸胶带



Wet Kraft Paper Tape uses kraft paper as the base material, and needs to be moistened with water to activate the adhesive layer before use. Its characteristics include: strong adhesion, high tear strength, firm adhesion, one-time and non-reusable, and can destroy the packaging when torn, with anti-counterfeiting function; at the same time, it is environmentally friendly and degradable, suitable for high-standard packaging, carton sealing and export packaging.

湿水牛皮纸胶带以牛皮纸为基材,使用前需用水润湿激活胶层。其特点包括:粘性强、撕裂强度高、粘贴牢固且一次性不可重复使用,撕开时可破坏包装,具防伪功能;同时环保可降解,适用于高标准包装、纸箱封口和出口包装等领域。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	Kraft Paper (牛皮纸)
Thickness (厚度)	0.11/0.14mm/Customizable (可定制)
Adhesive (胶水)	Natural Rubber (天然橡胶)
Colors (颜色)	Brown/White/Black (棕色/白色/黑色)

Kraft Paper Tape 牛皮纸胶带

Product category 产品分类

Printed Kraft Paper Tape 印刷牛皮纸胶带



Printed Kraft Paper Tape is made from high-quality kraft paper with strong adhesive. It offers firm sealing, high tear resistance, and clear custom printing for branding. Eco-friendly and recyclable, it is ideal for carton sealing, e-commerce packaging, and export shipping.

印刷牛皮纸胶带采用优质牛皮纸基材，粘性强、抗撕裂性好，支持清晰定制印刷，有效提升品牌形象。环保可回收，适用于纸箱封箱、电商包装及出口运输。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	Kraft Paper (牛皮纸)
Thickness (厚度)	0.11/0.14mm/Customizable (可定制)
Adhesive (胶水)	Natural Rubber (天然橡胶)
Colors (颜色)	Customizable (可定制)

Warning Tape

警示胶带

Product category 产品分类

PE Warning Tape PE警示胶带



PE warning tape is made of polyethylene (PE) as the base material, with warning patterns or text printed on the surface, and has good weather resistance and tensile strength. Its characteristics include: clear warning effect, wear resistance and tear resistance, and easy use. It is often used in road construction, dangerous area marking, warehouse safety warnings and warnings in public places to help remind people to pay attention to safety.

PE警示胶带以聚乙烯(PE)为基材,表面印有警示图案或文字,具有良好的耐候性和抗拉强度。其特点包括:鲜明的警示效果、耐磨耐撕裂、使用方便,常用于道路施工、危险区域标识、仓库安全警示和公共场所的警告提示,帮助提醒人们注意安全。

Product display 产品展示



Specification Parameter 规格参数

Backing Material	(基材)	PE (聚乙烯)
Thickness	(厚度)	0.035/0.05mm/Customizable(可定制)
Adhesive	(胶水)	No Glue (无胶)
Colors	(颜色)	Yellow/Multiple Color Options (多色可选)

Warning Tape

警示胶带

Product category 产品分类

Radiation warning tape 辐射警示胶带



Radiation Warning Tape is designed for clear hazard identification and safety marking. Featuring bold warning colors and high-visibility printing, it effectively alerts personnel to radioactive or restricted areas. Durable and weather-resistant, it is suitable for laboratories, industrial sites, and hazardous zones.

辐射警示胶带用于危险区域标识与安全警示，色彩醒目、印刷清晰，有效提醒人员注意辐射或受限区域。耐用且耐候性强，适用于实验室、工业现场及各类危险场所。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	PE (聚乙烯)
Thickness (厚度)	0.035/0.05mm/Customizable(可定制)
Adhesive (胶水)	No Glue (无胶)
Colors (颜色)	Yellow/Multiple Color Options (多色可选)

Masking Film

美纹纸遮蔽膜

Product category 产品分类

General Masking Film 一般美纹纸遮蔽膜



General masking film is a composite of masking paper and film, with good masking properties and high viscosity. Its characteristics include: moderate viscosity, can effectively prevent paint leakage, and no glue residue after tearing off, suitable for scenes such as painting, painting, and decoration, especially for work with high requirements for edge and surface fineness. Its film part provides additional protection to avoid contamination of unpainted areas.

一般美纹纸遮蔽膜由美纹纸和薄膜复合而成，具有良好的遮蔽性和高粘性。其特点包括：粘性适中，能有效防止漆料渗漏，且撕下后不残留胶水，适用于喷漆、粉刷、装修等场景，尤其适合对边缘和表面精细度有较高要求的工作。其薄膜部分提供额外的防护，避免污染未涂漆区域。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	Masking Paper (美纹纸)
Thickness (厚度)	550/1100/2400mm/Customizable(可定制)
Adhesive (胶水)	Tape with glue with Transparent film no glue
Colors (颜色)	Multiple Color Options (多色可选)

Masking Film

美纹纸遮蔽膜

Product category 产品分类

Car paint masking film 汽车喷漆遮蔽膜



High temperature resistant automotive paint masking film is made of special high temperature resistant material, which can remain stable during high temperature painting process. Excellent high temperature resistance, high viscosity ensures a firm fit, and no glue residue will remain after painting; strong solvent resistance, soft and easy to operate, can adapt to curved and irregular surfaces, provide precise spraying edges, and are widely used in automotive exterior painting and repair work.

耐高温汽车喷漆遮蔽膜采用特殊耐高温材料制成,能在高温喷漆过程中保持稳定,不会变形或损坏。其主要特点包括:优异的耐高温性能,适用于高温喷漆环境;高粘性确保牢固贴合,喷漆后不会残留胶水;耐溶剂性强,柔软易操作,可适应曲面和不规则表面,提供精准的喷涂边缘,广泛用于汽车外部喷漆和修补工作。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	Masking Paper (美纹纸)
Thickness (厚度)	550/1100/2400mm/Customizable(可定制)
Adhesive (胶水)	Tape with glue with Transparent film no glue
Colors (颜色)	Multiple Color Options (多色可选)

Masking Film

美纹纸遮蔽膜

Product category 产品分类

Cloth Duct Masking Film 布基遮蔽膜



The cloth-based masking film is a composite of cloth-based material and masking film, with excellent tear resistance and good masking effect. Strong adhesion, not easy to shift; high temperature resistance, suitable for high temperature working environments such as painting and decoration; enhanced tear resistance and wear resistance, suitable for masking rough or irregular surfaces; commonly used in industries such as automobiles, furniture and construction coatings.

布基遮蔽膜由布基材料和遮蔽膜复合而成，具有优异的耐撕裂性和良好的遮蔽效果。强力粘性，不易移位；耐高温，适用于喷漆、装修等高温作业环境；增强了抗撕裂和耐磨性，适合粗糙或不规则表面的遮蔽；常用于汽车、家具和建筑涂装等行业。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	Cloth (布基材料)
Thickness (厚度)	550/1100/2400mm/Customizable(可定制)
Adhesive (胶水)	Tape with glue with Transparent film no glue
Colors (颜色)	Green/Multiple Color Options (多色可选)

Masking Film

美纹纸遮蔽膜

Product category 产品分类

Kraft Paper Masking Film 牛皮纸遮蔽膜



Kraft paper masking film is made of high-strength kraft paper and film, with good tear resistance and masking effect. Excellent tear resistance, good adhesion, no glue left after tearing, ensuring clean and traceless; strong adaptability, can be used on various surfaces, especially suitable for scenes that require fine masking such as spray painting and painting. In addition, kraft paper itself has good environmental protection

牛皮纸遮蔽膜采用高强度的牛皮纸和薄膜复合而成，具有很好的耐撕裂性和遮蔽效果。优异的抗撕裂性，良好的粘性，撕下后不留胶水，确保清洁无痕；适应性强，可用于各种表面，尤其适用于喷漆、粉刷等需要精细遮蔽的场景。此外，牛皮纸本身具有较好的环保性，适合在环保要求较高的环境中使用。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	Kraft Paper (牛皮纸)
Thickness (厚度)	550/1100/2400mm/Customizable(可定制)
Adhesive (胶水)	Tape with glue with Kraft paper no glue
Colors (颜色)	Brown (棕色)

Masking Film

美纹纸遮蔽膜

Product category 产品分类

Washi Paper Masking Film 和纸遮蔽膜



Washi paper masking film is made of high-quality Japanese paper and film. It is thin and smooth, has moderate viscosity, and does not leave any residual adhesive. It can effectively block the spray painting area and is suitable for detailed spraying or decoration work. Japanese paper is flexible and easy to operate, can adapt to curved surfaces, and is not easy to warp. It is often used for precise masking needs such as car repair, furniture painting, and interior decoration.

和纸遮蔽膜由高品质和纸与薄膜复合而成，具有轻薄服帖、粘性适中、不残胶等特点。它可有效遮挡喷漆区域，适用于细致喷涂或装修作业。和纸材质柔韧易操作，能适应曲面，不易翘边，常用于汽车修补、家具涂装及室内装潢等精密遮蔽需求。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	Washi Paper (和纸)
Thickness (厚度)	550/1100/2400mm/Customizable(可定制)
Adhesive (胶水)	Tape with glue with Transparent film no glue
Colors (颜色)	Multiple Color Options (多色可选)

Wire Harness Tape 线束胶带

Product category 产品分类

PET Cloth Tape 涤纶布线束胶带



Polyester cloth wire harness tape uses polyester cloth as the base material, which has the characteristics of high temperature resistance (up to 150°C), wear resistance, corrosion resistance, oil resistance and aging resistance. It has a tight structure, strong tear resistance and good flexibility. It is suitable for bundling and fixing of wiring harnesses in automobiles, electrical appliances, etc., ensuring long-term stable protection and a neat appearance.

涤纶布基线束胶带采用聚酯布为基材，涂布高性能压敏胶，具有耐高温(可达150°C)、耐磨、耐腐蚀、耐油污和耐老化等特点。其结构紧密，抗撕裂性强，柔韧性好，适用于汽车、电器等线束的捆扎和固定，确保长期稳定的保护和整洁的外观。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	PET Cloth (涤纶布)
Thickness (厚度)	0.14/0.25mm/Customizable (可定制)
Adhesive (胶水)	Rubber(橡胶胶)
Colors (颜色)	Black/Orange (黑色/橘色)

Wire Harness Tape 线束胶带

Product category 产品分类

PET Fleece Tape 绒布线束胶带



The flannel harness tape uses a soft flannel base material, which has excellent wear resistance and sound absorption and noise reduction performance, and can effectively reduce the friction and noise between the harnesses. It has moderate viscosity and is not easy to leave residual adhesive after tearing off. It is suitable for bundling and fixing harnesses in automobiles, electrical appliances, etc., and is particularly suitable for scenes that require quiet and wear-resistant protection.

绒布线束胶带采用柔软的绒布基材，具有优异的耐磨性和吸音降噪性能，能有效减少线束间的摩擦和噪音。其粘性适中，撕除后不易残胶，适用于汽车、电器等线束的捆扎和固定，特别适合需要静音和耐磨保护的场景。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	PET Fleece (聚酯绒布)
Thickness (厚度)	0.28/0.30mm/Customizable (可定制)
Adhesive (胶水)	Acrylic (丙烯酸压敏胶)
Colors (颜色)	Black (黑色)

Wire Harness Tape 线束胶带

Product category 产品分类

PVC Wire Harness Tape PVC线束胶带



PVC wiring harness tape is based on soft polyvinyl chloride (PVC) film, with excellent electrical insulation, high temperature resistance, cold resistance, oil resistance, corrosion resistance and flame retardant properties. It is easy to tear by hand and can fit irregular surfaces. It is suitable for bundling and fixing wiring harnesses of automobiles, electrical appliances, etc., ensuring long-term and stable protection.

PVC线束胶带以软质聚氯乙烯(PVC)薄膜为基材,具有优异的电气绝缘性、耐高温、耐寒、耐油污、耐腐蚀和阻燃性能。易于手工撕裂,能贴合不规则表面,适用于汽车、电器等线束的捆扎和固定,确保长期稳定的保护。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	PVC Film (软质PVC薄膜)
Thickness (厚度)	0.10/Customizable (可定制)
Adhesive (胶水)	Rubber (橡胶)
Colors (颜色)	Multiple Color Options (多色可选)

Filament Tape

玻纤胶带

Product category 产品分类

BI-Directional Filament Tape 网格玻纤胶带



Grid filament tape is a tape based on glass fiber grid, which has excellent tensile strength, alkali resistance and corrosion resistance. Its open grid structure facilitates the penetration of paint or adhesives and enhances adhesion. It is often used for gypsum board joint reinforcement, wall repair and crack prevention. In addition, fiberglass tape is also widely used in filtration systems and personal protective equipment to provide additional structural strength and heat resistance.

网格玻纤胶带是一种以玻璃纤维网格为基材的胶带，具有出色的抗拉强度、耐碱性和耐腐蚀性。其开放式网格结构便于涂料或粘合剂的渗透，增强附着力，常用于石膏板接缝加固、墙面修补和防裂处理。此外，玻纤胶带还广泛应用于过滤系统和个人防护装备中，提供额外的结构强度和耐热性。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	Woven Fiberglass Mesh (玻璃纤维网格布)
Thickness (厚度)	0.13/0.15mm/Customizable(可定制)
Adhesive (胶水)	Acrylic (亚克力胶)
Colors (颜色)	Clear (透明)

Filament Tape

玻纤胶带

Product category 产品分类

Mono-Directional Filament Tape 条纹玻纤胶带



Striped fiberglass tape is based on glass fiber reinforced PET film, which has extremely high tensile strength, abrasion resistance and high temperature resistance. No residual adhesive is left after tearing, which is suitable for heavy object bundling, home appliance transportation and fixing. In addition, the striped structure enhances the longitudinal strength of the tape, making it perform well in high-strength packaging and industrial applications.

条纹玻纤胶带以玻璃纤维增强的PET膜为基材,具有极高的抗拉强度、耐磨性和耐高温性能。其粘性强,撕除后不留残胶,适用于重物捆扎、家电运输固定等场景,确保在运输过程中物品稳固且表面洁净。此外,条纹结构增强了胶带的纵向强度,使其在高强度包装和工业应用中表现出色。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	Fiberglass (玻纤)
Thickness (厚度)	0.13/0.15/0.18mm/Customizable(可定制)
Adhesive (胶水)	Acrylic (亚克力胶)
Colors (颜色)	Clear (透明)

Filament Tape

玻纤胶带

Product category 产品分类


Double Sided Fiberglass Tape 双面玻纤胶带



Double-sided fiberglass tape uses fiberglass cloth or mesh as the base material, and has excellent tensile strength, high temperature resistance (up to 250°C), wear resistance and electrical insulation performance. The size is not easily deformed, and it is suitable for bonding and fixing in high temperature environments. It is widely used in motor and transformer coil wrapping, electronic component fixing, industrial equipment assembly and other fields.

双面玻纤胶带以玻璃纤维布或网格为基材，具有优异的抗拉强度、耐高温（可达250°C）、耐磨性和电气绝缘性能。尺寸不易变形，适用于高温环境下的粘接与固定，广泛应用于电机、变压器线圈包扎、电子元件固定、工业设备装配等领域。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	Fiberglass (玻纤)
Thickness (厚度)	0.16/0.22mm/Customizable(可定制)
Adhesive (胶水)	Acrylic (亚克力胶)
Colors (颜色)	Clear (透明)

Bag Sealing Tape

封缄胶带

Product category 产品分类


OPP Bag Sealing Tape **OPP封缄胶带**



OPP sealing tape is based on biaxially oriented polypropylene (BOPP) and coated with water-based or oil-based pressure-sensitive adhesive. It has high initial adhesion, excellent tensile strength and anti-aging properties. Its characteristics include: strong adhesion, high tensile strength, good water-proof and weather resistance, wide temperature range, suitable for packaging of various export outer boxes, strong performance, and certain protective effect.

OPP封缄胶带以双轴延伸聚丙烯(BOPP)为基材,涂布水性或油性压敏胶,具有高初粘力、优异的拉伸强度和抗老化性能。其特点包括:粘性强、拉伸力度大、防水性及耐候性好,适应温差范围广,适用于各种出口外箱的包装,性能牢固,具有一定的保护作用。

Product display 产品展示



Specification Parameter 规格参数

Backing Material	(基材)	BOPP (双向拉伸聚丙烯膜)
Thickness	(厚度)	0.046/0.090mm/Customizable(可定制)
Adhesive	(胶水)	Acrylic (亚克力胶)
Colors	(颜色)	Clear (透明)

Bag Sealing Tape

封缄胶带

Product category 产品分类

PE Bag Sealing Tape

PE封缄胶带



PE sealing tape uses polyethylene (PE) film as the base material, coated with water-based or oil-based pressure-sensitive adhesive, has good adhesion and retention, can be reused, does not debond or leave residual adhesive after being torn off, is environmentally friendly, cold-resistant, and easy to tear off. It is suitable for sealing various plastic bags, such as envelopes, stationery, clothing packaging, etc., especially for sealing high-pressure PE self-adhesive plastic packaging bags.

PE封缄胶带采用聚乙烯(PE)薄膜为基材,涂布水性或油性压敏胶,具有良好的粘着力和保持力,可重复使用,撕除后不脱胶、不残胶,且环保、抗寒,易于撕起。其柔韧性强,适用于各种塑料袋的封口,如信封、文具、服装包装等,特别适合高压PE材质自粘塑料包装袋的封口。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	PE (聚乙烯)
Thickness (厚度)	0.072mm/Customizable (可定制)
Adhesive (胶水)	Acrylic (亚克力胶)
Colors (颜色)	Clear (多色可选)

Bag Sealing Tape

封缄胶带

Product category 产品分类

Permanent Tape 破坏胶带



Permanent tape has strong adhesion and durability, can adhere firmly to various surfaces for a long time, and will not fall off easily. Its characteristics include: high initial adhesion, suitable for long-term bonding needs; high temperature and humidity resistance, adaptable to a variety of environmental conditions; once adhered, it is usually difficult to tear or remove, and is often used in security sealing, marking, label fixing and other occasions.

破坏胶带具有强力粘性和耐久性，能够长期牢固粘附在各种表面，且不会轻易脱落。其特点包括：高初粘性，适用于长期使用的粘接需求；耐高温、耐湿性强，适应多种环境条件；一旦粘附后，通常无法轻松撕开或移除，常用于安全封口、标记、标签固定等场合。适用于办公、家庭、工业等领域，提供长期稳定的固定效果。

Product display
产品展示



Specification Parameter
规格参数

Backing Material (基材)	PE (聚乙烯)
Thickness (厚度)	0.072mm/Customizable (可定制)
Adhesive (胶水)	Acrylic (亚克力胶)
Colors (颜色)	Clear (透明)

Greenhouse Tape

大棚胶带

Product category 产品分类


Greenhouse Tape 大棚胶带



Greenhouse tape is a tape designed for greenhouse environments. It has excellent high temperature resistance, UV resistance and waterproof properties, and can maintain stable adhesion under humid, high temperature and strong UV conditions. It has strong adhesion and good flexibility, strong weather resistance, suitable for long-term use, and is widely used in greenhouse film installation and repair and other gardening work.

大棚胶带是一种专为温室环境设计的胶带，具有优异的耐高温、耐紫外线和防水性能，能够在潮湿、高温和强紫外线的条件下保持稳定的粘附力。它具有强粘性和良好的柔韧性，能够牢固地固定温室塑料薄膜或其他材料，耐候性强，适合长期使用，广泛应用于温室膜的安装和修补等园艺工作。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	PE (聚乙烯)
Thickness (厚度)	0.15/0.18mm/Customizable (可定制)
Adhesive (胶水)	Acrylic (亚克力胶)
Colors (颜色)	Clear (透明)

Security Tape

防伪胶带

Product category 产品分类


Security Tape 防伪胶带



Security tape is a tamper-proof tape with strong adhesion. Once sealed, it will leave obvious signs of damage to ensure that the contents of the package have not been tampered with. It is resistant to high temperatures, chemical corrosion, and tearing, and is suitable for various environments. In addition, security tape can also carry anti-counterfeiting marks, serial numbers or QR codes for easy tracking and verification. It is widely used in logistics, valuables packaging, and document sealing.

防伪胶带是一种防篡改胶带，具有强力粘性，一旦封口后会留下明显的破坏痕迹，确保包装内容未被篡改。它耐高温、耐化学腐蚀，且抗撕裂，适用于各种环境。此外，安全胶带还可带有防伪标志、序列号或二维码，便于追踪验证，广泛应用于物流、贵重物品包装和文件封存等需要防篡改和保护隐私的领域。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	PET (聚酯薄膜)
Thickness (厚度)	0.050mm/Customizable(可定制)
Adhesive (胶水)	Acrylic (亚克力胶)
Colors (颜色)	Red/Blue/White/etc. (红色/蓝色/白色等)

Special Tape

特殊胶带

Product category 产品分类

Sheathing Tape 建筑遮蔽胶带



Sheathing Tape is designed for sealing building wraps and insulation materials. It provides strong adhesion, excellent weather resistance, and long-lasting durability. Ideal for construction applications, it helps improve air tightness and moisture protection.

建筑遮蔽胶带用于建筑膜材及保温材料的密封粘接，粘性强、耐候性好、持久耐用。广泛应用于建筑施工中，有助于提升气密性和防潮性能。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	PE Film (PE膜)
Thickness (厚度)	60mm/Customizable(可定制)
Adhesive (胶水)	Acrylic Adhesive (亚克力胶)
Colors (颜色)	Blue / Red / Custom Colors (可定制)

Special Tape

特殊胶带

Product category 产品分类

Mylar Tape 玛拉胶带



Mylar Tape is made of polyester (PET) film coated with high-performance adhesive. It offers excellent insulation, heat resistance, and durability. Widely used in transformers, motors, batteries, and electronic components for electrical insulation and protection.

玛拉胶带采用聚酯(PET)薄膜为基材,涂布高性能胶水,具有优良的绝缘性、耐高温性和耐久性。广泛应用于变压器、电机、电池及电子元件的电气绝缘与保护。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	PET Film (PET膜)
Thickness (厚度)	50mm/Customizable(可定制)
Adhesive (胶水)	Acrylic Adhesive (亚克力胶)
Colors (颜色)	Green / Blue / Red / Yellow / Transparent

Special Tape

特殊胶带

Product category 产品分类

Glass Cloth Tape 玻璃布胶带



Glass cloth tape uses glass fiber as the base material, has extremely high tensile strength and wear resistance, and can withstand greater pressure and tension. It is resistant to high temperatures and chemical corrosion, suitable for use in high temperature environments, and has excellent electrical insulation properties. The tape has good flexibility and is easy to operate, and is widely used in electrical, automotive, aviation and other industries.

玻璃布胶带采用玻璃纤维为基材，具有极高的抗拉强度和耐磨性，能够承受较大的压力和拉力。它耐高温、耐化学腐蚀，适用于高温环境下使用，且具有优异的电气绝缘性能。该胶带柔韧性好，操作方便，广泛应用于电气、汽车、航空等行业。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	Woven Glass Fiber Cloth (玻璃纤维织物)
Thickness (厚度)	0.18mm/Customizable (可定制)
Adhesive (胶水)	Silicone (硅胶胶)
Colors (颜色)	White (白色)

Special Tape

特殊胶带

Product category 产品分类

Butyl Tape 丁基胶带



Butyl tape has excellent sealing properties and can effectively prevent water and gas penetration. It is widely used in waterproofing and sealing applications. It is resistant to high and low temperatures, adapts to different environments, and is UV-resistant and chemical-resistant, making it suitable for use in harsh conditions. Butyl tape has strong adhesion and can be firmly attached to surfaces such as metal, glass and plastic. It is widely used in construction, automobiles, ships and other industries.

丁基胶带具有优异的密封性能,能够有效阻止水分和气体渗透,广泛应用于防水和密封场合。它耐高温和低温,适应不同环境,且抗紫外线、耐化学腐蚀,适合在恶劣条件下使用。丁基胶带粘附力强,能够牢固粘贴于金属、玻璃和塑料等表面,广泛用于建筑、汽车、船舶等行业。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	Butyl (丁基)
Thickness (厚度)	1.2mm/Customizable (可定制)
Adhesive (胶水)	Rubber(橡胶胶)
Colors (颜色)	Black/Silver (黑色/银色)

Special Tape

特殊胶带

Product category 产品分类

Teflon Tape 特氟龙胶带



Teflon tape has excellent high temperature resistance and can work stably at extremely high temperatures, with a temperature range of -200°C to 260°C . It is extremely resistant to most chemicals and solvents. It has a low coefficient of friction and is often used in applications that reduce friction. Teflon tape does not absorb water and has good water resistance. It is widely used in high temperature sealing, insulation, pipe connection, and chemical and electrical industries.

特氟龙胶带具有优异的耐高温性，能够在极高温下稳定工作，耐温范围通常在 -200°C 到 260°C 之间。它对大多数化学物质和溶剂具有极强的抗腐蚀性。摩擦系数低，常用于减少摩擦的应用。特氟龙胶带不吸水，具有很好的防水性，广泛应用于高温密封、绝缘、管道连接以及化学和电气行业。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	PTFE (聚四氟乙烯)
Thickness (厚度)	0.13/0.18mm/Customizable(可定制)
Adhesive (胶水)	Acrylic (亚克力胶)
Colors (颜色)	Brown (棕色)

Special Tape

特殊胶带

Product category 产品分类


PTFE Tape 生料带



PTFE tape has excellent high temperature resistance and can work stably in the temperature range of -200°C to 260°C. It has strong corrosion resistance to most chemicals, acids, alkalis and solvents, and can provide excellent sealing effect. PTFE raw tape has a smooth surface, does not adhere to substances, reduces friction, does not absorb water and is resistant to aging. It is widely used in equipment sealing in the chemical, petroleum, natural gas and other industries.

PTFE生料带具有优异的耐高温性，能够在-200°C到260°C的温度范围内稳定工作。它对大多数化学物质、酸碱和溶剂具有强耐腐蚀性，并能提供出色的密封效果。PTFE生料带表面光滑、不粘附物质，减少摩擦力，同时不吸水且抗老化，适合长期使用，广泛应用于化工、石油、天然气等行业的设备密封。

 **Product display**
产品展示



 **Specification Parameter**
规格参数

Backing Material (基材)	PTFE (聚四氟乙烯)
Thickness (厚度)	0.075mm/Customizable (可定制)
Adhesive (胶水)	Acrylic (亚克力胶)
Colors (颜色)	Multiple Color Options (多色可选)

Special Tape

特殊胶带

Product category 产品分类



Corner Tape 护角带



Corner tape has good flexibility and strength, and can effectively reinforce the internal and external corners of the wall to prevent cracking and damage from bumps. Its structural design is easy to locate and construct, and has strong adhesion, and is suitable for corners such as gypsum boards and walls. It also has moisture-proof, mildew-proof and corrosion-resistant properties, and is widely used for corner reinforcement and modification of interior decoration.

护角胶带具有良好的柔韧性和强度，能有效加固墙体内角，防止开裂和磕碰损坏。其结构设计便于定位和施工，贴合性强，适用于石膏板、墙面等转角部位。同时具备防潮、防霉和耐腐蚀等性能，广泛用于室内装修的角部加固与修饰。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	Galvanized Steel Strips (镀锌钢)
Thickness (厚度)	0.05mm/Customizable (可定制)
Adhesive (胶水)	No Glue (无胶)
Colors (颜色)	White (白色)

Special Tape

特殊胶带

Product category 产品分类

Drywall Joint Paper Tape 接缝纸带



Drywall Joint Paper Tape has high strength, good adhesion and crack resistance, which can effectively prevent cracking or bulging at the joints of gypsum boards. Its surface is non-slip and easy to construct. It is suitable for use with joint paste to enhance the overall flatness and firmness of the wall surface. It is widely used in the splicing of gypsum board ceilings and partition walls.

石膏板接缝纸带具有高强度、良好粘附性和耐裂性能，能有效防止石膏板接缝处开裂或鼓起。其表面防滑、便于施工，适合与接缝膏配合使用，增强墙面整体平整度和牢固性，广泛应用于石膏板吊顶与隔墙的拼接处理。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	High tensile strength kraft paper (牛皮纸)
Thickness (厚度)	0.2mm/Customizable (可定制)
Adhesive (胶水)	Acrylic (亚克力胶)
Colors (颜色)	White (白色)

Special Tape

特殊胶带

Product category 产品分类

Mesh Joint Tape 网格自粘带



Mesh joint tape is woven from glass fiber, has self-adhesiveness, is easy to use, and can be directly pasted without pre-coating joint paste. It has good crack resistance, tensile resistance and alkali resistance, can effectively prevent gypsum board joints from cracking, enhance wall firmness, and is widely used in interior wall joint reinforcement and repair.

网格自粘胶带是由玻璃纤维编织而成, 自带粘性, 使用方便, 无需预涂接缝膏即可直接粘贴。它具有良好的抗裂性、耐拉伸性和耐碱性, 能有效防止石膏板接缝开裂, 增强墙面牢固性, 广泛应用于内墙接缝加固和修补。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	Fiberglass Mesh (玻璃纤维网格布)
Thickness (厚度)	Customizable (可定制)
Adhesive (胶水)	Acrylic (亚克力胶)
Colors (颜色)	White/Yellow/Blue/etc (多色可选)

Special Tape

特殊胶带

Product category 产品分类

Green PET Tape 绿色PET胶带



Green PET polyester tape has excellent high temperature resistance, solvent resistance and insulation performance. The tape has high strength, is not easy to break, has stable viscosity and no residual adhesive is left after removal. It is often used in high-demand environments such as spray masking, electroplating, electronic protection and electrical insulation, and is suitable for a variety of surfaces such as metal and glass.

绿色PET聚酯胶带具有优异的耐高温性、耐溶剂性和绝缘性能，胶带强度高、不易断裂，粘性稳定且撕除不残胶。常用于喷涂遮蔽、电镀、电子保护和电气绝缘等高要求环境中，适用于金属、玻璃等多种表面。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	PET (聚酯材料)
Thickness (厚度)	0.08mm/Customizable (可定制)
Adhesive (胶水)	Silicone Adhesive (硅胶)
Colors (颜色)	Green (绿色)

Special Tape

特殊胶带

Product category 产品分类

Polyimide Tape 聚酰亚胺胶带



Polyimide tape has excellent high temperature resistance and can work stably in a wide temperature range of -73°C to 260°C, suitable for high temperature environments. It also has strong electrical insulation, UV resistance and chemical corrosion resistance. Polyimide tape has a smooth surface, strong adhesion and no residual glue marks. It is widely used in high temperature sealing and insulation needs in the electronics, automotive, aviation and other industries.

聚酰亚胺胶带具有优异的耐高温性能，能够在-73°C到260°C的广泛温度范围内稳定工作，适用于高温环境。它还具有极强的电气绝缘性、抗紫外线和化学腐蚀性。聚酰亚胺胶带表面光滑，粘性强且不会残留胶痕，广泛应用于电子、汽车、航空等行业的高温密封和绝缘需求。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	Polyimide Film (聚酰亚胺膜)
Thickness (厚度)	0.05/0.08mm/Customizable (可定制)
Adhesive (胶水)	Silicone Adhesive (硅胶)
Colors (颜色)	Amber (琥珀色)

Special Tape

特殊胶带

Product category 产品分类

Sports Tape 运动胶带



Sports tape has strong adhesion and flexibility, can adhere firmly to the skin and clothing, help fix joints, muscles and soft tissues, and reduce the risk of sports injuries. It usually has good breathability and comfort, and is not easy to cause skin allergies. Sports tape is also water-resistant and sweat-resistant, and can maintain stickiness during intense exercise. It is often used for sports injury prevention and rehabilitation treatment for athletes.

运动胶带具有强力粘附性和柔韧性，能牢固地粘附在皮肤和衣物上，帮助固定关节、肌肉和软组织，减轻运动损伤风险。它通常具有良好的透气性和舒适性，不易引起皮肤过敏。运动胶带还具备耐水性和耐汗性，能够在剧烈运动中保持粘性，常用于运动员的运动损伤预防和康复治疗。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	Cotton Cloth (纯棉布)
Thickness (厚度)	0.25mm/Customizable (可定制)
Adhesive (胶水)	Pressure-Sensitive (压敏胶)
Colors (颜色)	Multiple Color Options (多色可选)

Stretch Film

缠绕膜

Product category 产品分类

Stretch Film 缠绕膜



Stretch film has good stretchability and high strength, can wrap items tightly and provide stable protection. It has good transparency, which makes it easy to observe the contents of the package. Stretch film can effectively resist dust, moisture and scratches to prevent damage to items. It also has anti-theft function because once it is torn, it cannot be restored to its original state. It is suitable for warehousing, transportation, cargo protection and other aspects.

Stretch film (缠绕膜)具有良好的拉伸性和高强度,能够紧密包裹物品,提供稳定的保护。它具有很好的透明性,便于观察包装内容物。缠绕膜能够有效抵御尘土、水分和划痕,防止物品损坏,同时具有防盗功能,因其一旦被撕开,无法恢复原状。适用于仓储、运输、货物保护等方面。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	LDPE (聚乙烯)
Thickness (厚度)	0.016/0.02mm/Customizable(可定制)
Adhesive (胶水)	No Glue (无胶)
Colors (颜色)	High Transparency (高透明)

Reflective Sheeting 反光膜

Product category 产品分类

Reflective Sheeting 反光膜



Reflective sheeting has excellent reflective effect, which can improve visibility and enhance safety in low light or dark environment. It is usually used for traffic signs, vehicles, road facilities and other identification. Reflective sheeting is highly resistant to weather, UV, water and high temperature, suitable for long-term outdoor use, and widely used in road safety, construction sites and other places where visibility needs to be improved.

反光膜具有优异的反光效果，能够在低光或黑暗环境中提高可见度，增强安全性。通常用于交通标志、车辆、道路设施等标识。反光膜耐候性强，耐紫外线、耐水、耐高温，适合长期户外使用，广泛应用于道路安全、建筑工地以及其他需要提高可见度的场所。

Product display 产品展示



Specification Parameter 规格参数

Backing Material (基材)	Polyester Film (聚酯膜)
Thickness (厚度)	0.35/0.40mm/Customizable(可定制)
Adhesive (胶水)	Pressure-Sensitive (压敏胶)
Colors (颜色)	Multiple Color Options (多色可选)

*产品不断改良，当外形和参数变更时，均以实物为准。

*The product is constantly being improved. When the appearance and parameters are changed, the actual product shall prevail.

真诚期待与您的合作

Sincerely look forward to cooperating with you

